

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	315	search\$3 same( ((routing! or rout\$3 or router\$1) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) or ((routing! or rout\$3 or router\$1) near2 quer\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	124	1 and (707/\$.ccls. or 379/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
3	BRS	L3	53	2 and (updat\$6 or modif\$6) near2 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
4	BRS	L4	284	search\$3 same( ((routing! or rout\$2 or router\$1) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) or ((routing! or rout\$3 or router\$1) near2 quer\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	97	4 and (updat\$6 or modif\$6) near2 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
6	BRS	L6	42	5 and (707/\$.ccls. or 379/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
7	BRS	L7	145	search\$3 same ((routing! or rout\$2 or router\$1) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
8	BRS	L8	44	7 and (updat\$6 or modif\$6) near2 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
9	BRS	L9	42	6 and (707/\$.ccls. or 379/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
10	BRS	L10	4	8 and ((routing! or rout\$3 or router\$1) near quer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
11	BRS	L11	1988	(updat\$6 or modif\$6) near2 (databases! or data-bases! or (data! adj bases!))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
12	BRS	L12	14	11 and 7	USPAT; US-PGPUB; EPO; JPO; DERWENT;
13	BRS	L13	673	11 and (707/\$.ccls. or 379/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;

11/18/2002

	Type	L #	Hits	Search Text	DBs
14	BRS	L15	24	14 and (707/\$.ccls. or 379/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
15	BRS	L14	66	7 and (updat\$6 or modif\$6) near9 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
16	BRS	L16	12	14 and (707/3.ccls. or 379/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
17	BRS	L17	74119	707/3.ccls. or 379/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
18	BRS	L18	18	707/3.ccls. and 379/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
19	BRS	L19	105	search\$3 with ((routing! or rout\$2 or router\$1) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
20	BRS	L20	0	19 and 707/3.ccls. and 379/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
21	BRS	L21	19	19 and (707/3.ccls. or 379/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
22	BRS	L22	13	21 and (telephone or tele-phone or phone) adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT;
23	BRS	L23	1	21 and (associated adj field adj identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
24	BRS	L24	1	19 and (associated adj field adj identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
25	BRS	L25	8	associated adj field adj identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT;
26	BRS	L26	5	25 and (telephone or tele-phone or phone) adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT;
27	BRS	L27	794	field adj identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT;
28	BRS	L28	21	27 same (telephone or tele-phone or phone) adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT;

	Type	L #	Hits	Search Text	DBs
29	BRS	L29	73	27 same (((telephone or tele-phone or phone) adj number) or state or city)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
30	BRS	L30	25	27 with (((telephone or tele-phone or phone) adj number) or state or city)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
31	BRS	L31	54	17 and field adj identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT;
32	BRS	L32	32	31 and (telephone or tele-phone or phone) adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT;
33	BRS	L33	1	32 and search\$3 with ((routing! or rout\$2 or router\$1) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
34	BRS	L34	1506	32 and search\$3 same ((routing! or rout\$2 or router\$1) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
35	BRS	L35	1	32 and search\$3 same ((routing! or rout\$2 or router\$1) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
36	BRS	L36	2	32 and search\$3 and ((routing! or rout\$2 or router\$1) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;